(*d*) The coolies employed by the lessee must take permission from the Range Officers before they enter State Forests.

(*e*) The lessee shall keep and render accounts every month to the District Forest Officer or Sub-Division Officer of the produce collected and removed by him or his agents during the month. His accounts will be liable for the inspection of the Conservator of Forests or the District Forest Officer or by any other Officer deputed by either of them.

(*f*) The lessee, his agents or servants shall render all possible help in preventing the occurrence of fires in forests in which he or they may be working and render prompt assistance in extinguishing such fires as may break out accidentally.

(*g*) The lessee shall remove out of the limits of the Forests all produce collected and sold under the terms of the lease before the close of the official year, each consignment should cover with a pass obtained from the Range Officer.

(*h*) Neither the lessee nor his servants shall enter the State Forests either before sunrise or after sunset.

(*i*) The village amarayi produce is not included in the contract.

9. In the event of the breach of any of the above conditions, the lease will be liable to be cancelled and the lessee fined to the extent of Rs. 100 which will be recovered as an arrear of revenue demand.

Abstract Notification, dated 15th September 1932.

The attention of the public is invited to the detailed notification calling for tenders for carting timber from Bhadravati Timber Depot to the Railway siding and *vice versa*, during the year 1932-33, published on pages 1035 and 1036 Part VI of the *Mysore Gazette*, dated 22nd September 1932. The last date for the receipt of tender is 30th September 1932.

H. S. RANGACHAR,
District Forest Officer.

KADUR FOREST DIVISION.

Abstract Notification dated 13th September 1932.

The attention of the Public is invited to the detailed Notifications published in pages 1028 and 1034 Part VI of the *Mysore Gazette*, dated 22nd September 1932, regarding the sales of the undermentioned noted products in the several forests of the Division.

1. Bamboos
2. Tupra leaves
3. Fuel trees in coupes
4. Wood oil tapping
5. Collection and removal of Cinnamon leaves.
6. Collection and removal of canes.

Notification dated the 23rd September 1932.

It is hereby notified for general information under section 40 of the Mysore Forest Regulation that the undermentioned rough Hebbalasu log found lying unclaimed bear no sold stamp whatsoever of the Department. Persons having any claim to the said log may present a statement of their claim to the undersigned within a month from the date of publication of this notification and establish their claim, failing which the timber will lapse to Government under section 42 of the said Regulation.

Kind	Dimensions	Where found	Kept in the custody of	Remarks
1 Hebbalasu ...	Length 18'—6" Girth 2'—8".	S. No. 97 of Bilagadde village.	B. Venkatakrishna Bhatta, Patel.	

C. H. EAGLES,
District Forest Officer.

ENGINEERING DEPARTMENT.

MYSORE PUBLIC WORKS DEPARTMENT.

HEADQUARTER RANGE, BANGALORE.

Abstract Notification dated 20th September 1932.

The attention of the public is invited to the notification calling for tenders for "Construction of Radiological Block in the premises of Victoria Hospital, Bangalore" published on pages 1020 to 1022 of Part VI of *Mysore Gazette*, dated 15th September 1932.

The last date for receiving tenders is 30th September 1932.

HEADQUARTER RANGE, BANGALORE.

Notification dated the 21st September 1932.

Notice is hereby given that sealed tenders will be received at the Office of the Assistant Engineer, Head-quarter Range Bangalore, up to 5th October 1932, (2 P.M.,) for constructing a Tiffin Room attached to the Insurance Office, Bangalore.

An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of February 1933.

2. The plans, detailed estimate and conditions may be seen at the Assistant Engineer's Office, Head-quarter Range, Bangalore, between the hours of 11 A.M. to 5 P.M. on all working days.

3. Tenders should be submitted on printed forms which may be obtained from the Assistant Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed both in words and figures.

4. Each tender must be accompanied by a deposit of Rs. 300 (three hundred) in cash or Government Promissory Notes as earnest money, and be superscribed "Tender for the construction of Tiffin Room attached to the Insurance Office, Bangalore," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, Mysore Circle, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Assistant Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Percentage rates above or below the estimate amount will not be accepted.

10. No claims for enhanced rates will be entertained on any account after acceptance of tenders.

11. The Contractor will be dealt with in terms of the bond for any short progress or delay. In matters of all disputes about rates, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Chief Engineer will be final and legally binding on the Contractors.

Abstract of estimate of quantities for tender for construction of Tiffin Room attached to the Insurance Office, Bangalore.

Rates and amounts should be entered for every item spacifically, without which tenders will be rejected.

Sl. No.	Items of work	Unit	Quantity	Rate		Amount
				In figures	In words	
				Rs.	Rs.	Rs.
1	Earthwork excavation and filling in basement.	C.yd.	128			
2	Laying stone jelly concrete in lime mortar ...	C.ft.	1,322			
3	Filling in foundation and constructing basement with size stone in mortar with bond stones at every 6' apart.	,,	2,199			
4	Burnt brick in mortar	,,	2,513			
5	Burnt stone slabs 6" thick and dressed two lines.	Sq.ft.	661			
6	Burnt stone slabs 5" thick with two line dressing.	,,	115			
7	Teakwood door without bottom cills with frames of 4" x 5" and shutters of $1\frac{1}{2}$" thick with $\frac{1}{3}$ panelled and $\frac{2}{3}$ glazed and one coat of white lead paint, etc.	,,	190			
8	R. C. ornamental perforated windows and semi-circular top with cement plastering, etc., complete as per design.	,,	263			
9	Rolled steel girders of approved firm with hoisting and with one coat of white lead paint, etc.	Cwt.	46·5			

Sl. No.	Items of work	Unit	Quantity	Rate		Amount
				In figures	In words	
				Rs.	Rs.	Rs.
10	Jack arch or flat terrace as may be approved terrace with one course of terrace bricks on edge, one flat 3" surki concrete and 3 courses of flat tiles plastered at top to slopes and for ceiling.	Sqr.	8.90			
11	Ornamental mortar bases and capitals for front pillasters.	Each	6			
12	Chunam plastering 2 coats	Sqr.	53·35			
13	White washing three coats	„	80·00			
14	Chunam capital and base to the pillars of rear verandah and at the front main entrance.	Each	4			
15	Chunam moulding to the bottom of windows	Sq.ft.	180			
16	Chunam patties alround windows ...	R.ft.	271			
17	12" cornice over front arch way ...	„	11			
18	9" cornice as per design	„	248			
19	Plain parapet wall as per plan with suitable deep holes to drain off roof water.	„	103			
20	Ornamental parapet with cement balasters 15" high 6" apart, etc., complete as per design.	„	104			
21	Ornamental Kamalams over front and rear ...	Each	4			
22	Brick in mortar arch work	C.ft.	166			
23	Silicate painting 3 coats	Sqr.	2·56			
24	Cement pointing to basement with lines cut ...	„	4·70			
25	Constructing over and chimney in kitchen including pial.	Lump	sum			
26	Distemper wash 3 coats	Sqr.	2·91			
27	Constructing sinks in kitchen and lead off drains in all rooms.	Lump	sum			
28	Levelling ground and forming approach roads, etc.	Lump	sum			
29	Boxing girders 12" x 5" with beeding, etc. ...	R.ft.	69			
30	Kadapa slab flooring over 3" concrete and cement pointing.	Sqr.	8·51			
31	Teakwood glazed windows with iron bars and fittings.	Sq.ft.	88			

B. NARASIMHA IYENGAR,
Assistant Engineer,
Head-quarter Range Bangalore.

KOLAR DIVISION.

Notification dated the 19th September 1932.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 2 P.M., on 17th October 1932, for constructing an anicut across the Dronakunte weir halla for periodical diversion to Anodi Doddakere Regd. No. 188 of Goribidnur Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1933.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Kolar between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees Sixty in cash or Currency Notes, as earnest money, and be superscribed "Tender for constructing an anicut across the Dronakunte weir halla for periodical diversion to Anodi Doddakere Regd. No. 188 of Goribidnur Taluk in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Abstract estimate for constructing an anicut across the Dronakunte weir halla for periodical diversion to Anodi Doddakere Register No. 188 of Goribidnur Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
	Anicut.		Rs. a. p.		Rs.
1	Earth work to bund including watering and tamping.	C.yd.	0 4 0	427	107
2	Turfing	S.yd.	0 0 9	573	27
3	Rough stone revetment	C.yd.	2 0 0	87	174
4	Providing grade stones with index stones cutting figures and painting etc.	each	1 8 0	6	9
5	Clearing site for body wall apron etc., chargeable to bund.	C.yd.	0 4 0	70	18
6	Earth work excavating hard soil chargeable to bund.	,,	0 4 6	55	15
7	Burnt stone in chunnam	,,	0 5 0	777	243
8	Burnt stone slabs 6″ thick	S.ft.	0 7 0	385	168
9	Providing jaggles	each	0 10 0	12	8
10	Teakwood shutters, etc., complete with iron fitting.	S.ft.	2 8 0	15	37
11	Painting with surki mortar	,,	2 12 0	5·66	15
12	Rough stone work new ...	C.yd.	2 0 0	67	134
	Total ..	..	...	..	955
	Head Sluice.				
1	Excavation in Head clay chargeable to bund ..	C.yd.	0 4 0	159	...
2	Burnt stone in mortar	C.ft.	0 5 0	170	53
3	Burnt stone slabs 6″ thick	S.ft.	0 7 0	46	20
4	Pointing with mortar	Sqr.	2 12 0	1·20	3
5	Shutter for vent with iron work	S.ft.	2 8 0	11	27
5a	Gearing	Lump Sum		Rupees.	50
6	Rough stone work new	C.yd.	2 0 0	20	40
	Total ...	...	...	...	193
	Channel.				
1	Fixing bed grade stones	each	1 4 0	13	16
2	Half furlong stone	,,	3 0 0	12	36
3	Zero mile stone	,,	10 0 0	1	10
	Total ...	...	...	...	62
	Grand total Rs. 955+193+62 ...	...	..	..	1210

C. T. NARASIMHAIENGAR,
Executive Engineer,

OFFICE OF THE EXECUTIVE ENGINEER, No. IV TUNNEL DIVISION, HULIKERE.

Notification.

It is hereby notified for the information of the public that the unserviceable released building materials as noted below will be sold by public auction from 9 A.M., on the 10th October 1932 and subsequent days if necessary at Gamanahally Colony premises. The auction will be conducted by the Sub-Division Officer, Kodiyala Sub-Division, 6 c

Conditions.

(1) The Articles will be knocked down to the highest bidder.
(2) All articles purchased shall be at the risk of the purchasers thereof from the time of sale.
(3) All lots shall be renewed with faults, errors of all description as sold.
(4) Cash shall be paid in full for lot or lots purchased by bidders before delivery but they should be removed from the spot only after the closing of the sale.
(5) In case of defaults of payment of the whole or portion of the purchase amount by any bidder, the lot or lots shall be resold and the bidder shall be liable to make good any loss incurred therefrom.
(6) The articles shall be removed from the place of sale within three days from the date of sale at the cost of the bidder.

List of unserviceable materials released from buildings.

No.	Name of Articles	Unit	Quantity
1	Jungle wood Doors	S.ft.	651·75
2	Do Windows	,,	168·5
3	Do Scantlings	C ft.	282·34
4	Do Gates	S.ft.	76
7	Do Trellis work	,,	69·5
6	Do Pegs	No.	184
7	Do Wicket Gates	,,	8
8	Do Wall Shelves	S.ft.	8·75
9	Do Planks	,,	157
10	Teak Wood Doors	,,	38
11	Do Windows	,,	132
12	Valley Sheets	No.	72
13	Casuarina Poles	,,	35
14	Bamboo Trellis	C.ft.	32·75
15	Slabs	S.ft.	304·45
16	Mangalore Pattern Mysore Tiles	No.	50
17	Mangalore Pattern Mysore Ridge Tiles	,,	10
18	Country Pot Tiles (Round)	,,	18,250

B. KRISHNASWAMY IYENGAR,
Executive Engineer.

DAM CONSTRUCTION AND No. I CANAL DIVISION, KRISHNARAJASAGARA.

Notification dated 23rd September 1932.

Notice is hereby given that the undermentioned Government Buildings on the North Bank, Krishnarajasagara, will be sold by public auction to the highest bidders by the Executive Engineer, Dam Construction and No. I, Irwin Canal Division, Krishnarajasagara, on the *24th October* 1932 at North Bank, Krishnarajasagara.

		Nos.
1.	Executive Engineer's Quarters	2
2.	Assistant Engineer's Quarters	7
3.	Overseer's Quarters (Block of two houses) ...	1
4.	Subordinates' Quarters (Block of two houses)	10
5.	Subordinates' Quarters one of one house... ...	1
6.	Jamedar's Quarters	1
7.	Police Lines—Blocks of eight rooms each	2
8.	Police station	1
9.	Office	1
10.	Dispensary building	1
11.	Old temple sheds	3
12.	Health camp	1
13.	Society building	1
14.	Magazine buildings	10

The conditions of the sale and any information regarding details of buildings, etc., may be obtained from the Executive Engineer, Dam Construction and No. I, Canal Division, Krishnarajasagara, on all office days between 11 A.M., and 5 P.M. The buildings will be kept open for inspection between 7 A.M., and 5 P.M., on all week days and any information regarding them may be obtained from the Public Works Subordinate specially deputed at this place.

CONDITIONS OF SALE.

1. The sale shall be subject to confirmation by the Chief Engineer, who may reject the highest bid in any case without assigning reasons therefor.

2. It shall be in the discretion of the Executive Engineer to accept or not to accept the highest bid.

3. The highest bidder shall have no ground for complaint if the sale be not confirmed or if there be delay in the confirmation of the sale.

4. The party who is declared (subject to confirmation of the sale as aforesaid) to be the purchaser shall be required to deposit immediately 25 per cent of the amount of his bid as well as the full value of the site occupied by the building at two annas per square yard, and in default of such deposit the building with the site thereon shall forthwith be put up and resold.

5. The full amount of the purchase money shall be paid by the purchaser before the sunset of the fifteenth day from that on which the auction takes place or if the said fifteenth day be a Sunday or other authorised holiday, then before sunset of the first day after such fifteenth day.

6. In the case of default of payment within the said period of the full amount of purchase money, the deposit, after defraying therefrom the expenses of the sale, shall be forfeited to Government and the property shall be resold and the defaulting purchaser shall forfeit all claims to the property or to any part of the sum for which it may be subsequently sold.

7. If the sale is not confirmed, the purchaser shall be entitled to receive back his deposit or his purchase money as the case may be.

8. The purchaser shall previous to his occupation of the building, obtain the permission in writing of the Executive Engineer and take possession of the building after the same is formally handed over to the purchaser by the Executive Engineer or by one of his agents appointed by him for the purpose.

N. SARABHOJA,
Executive Engineer.

MYSORE RAILWAYS.

Notification, dated 20th September 1932.

Notice is hereby given that the sealed tenders will be received at the Office of the Executive Engineer, Mysore Railways, Hassan, on any working day up to 2 P.M., on 20th October 1932, for constructing Station Master's Quarters and well at Hampapura Station on Mysore-Arsikere Railway.

An approximate estimate of quantities is given in the following schedule. The quantities are not guaranteed. The work should be completed by the end of May 1933, showing monthly progress as noted in the tender.

2. Detailed plans, estimates and conditions of schedule agreement, may be seen at the Executive Engineer's Office, Mysore Railways, Hassan, on all working days, between 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer on payment of one rupee.

4. Every tender must be accompanied by a deposit of Rs. 100 in cash as earnest money and should be superscribed "*Tenders for constructing Station Master's Quarters and staff well at Hampapura Station on Mysore-Arsikere Railway,*" in default of which tenders will be rejected.

5. The earnest money of rejected tenders will be returned as early as possible after the tenders are disposed of and in the case of accepted tender it would be held as a part of security under cluase 4 of the Schedule Agreement referred to.

6. The final acceptance of any tender will rest with the Superintendent, Way and Works, Mysore Railways, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender or any portion of a tender.

7. The name of the contractor whose tender has been accepted will be posted on the Notice Board in the Executive Engineer's Office. No enquiries regarding the acceptance or rejection of a tender will be answered.

8. Within eight days of the acceptance of the tender, the successful tenderer is required to execute the usual schedule agreement, in default of which, his tender will be considered as cancelled, and the earnest money will be forfeited to Government.

9. Definite rates against each item of work in the schedule should be noted both in figures and in words.

10. In case the accepted tenderer quarries, stone, earth, kankar, sand, etc., from Railway, Government or Forest land for use on this work, Royalty at the rates fixed by the Government will be recovered from his bills.

11. The whole of the work specified in the agreement to be completed as specified in para 1 above, failing which or failing to carry out any of the conditions of the agreement, the whole of the money held in deposit or so much of it as the Agent considers proper will, without prejudice to any other legal or equitable right or remedy which the Agent may have, be absolutely forfeited to the Agent.

12. Should any dispute arise in the interpretation of the clauses of the tender or in respect of any items of work or specification, the decision of the Superintendent, Way and Works, shall be final.

Schedule.

	Items of work	Unit	Quantity
1.	Earthwork excavation for foundation and filling in ...	1,000 C.ft.	800
2.	Concrete stone jelly in sand mortar	100 ,,	330
3.	Burnt brick in mortar foundation and basement ...	100 ,,	1,800
4.	Cuddapah slabs 1½" thick for sills of doors and windows. (Railway material certificates will be issued for slabs from Betamcherla to Hampapura).	100 S.ft.	94
5.	Burnt brick in prepared clay in superstructure ...	100 C.ft.	1,565
6.	Burnt stone slabs 6" thick dressed	S.ft.	110
7.	Teakwood doors with battened shutters 1¼" thick and all fittings complete, as per specification.	,,	123
8.	Teakwood windows with battened shutters 1¼" thick with iron bars 5/8" thick and all fittings complete as per specification.	,,	52.5
9.	Teakwood ventilators with glazed shutters, iron bars 5/8" thick and all fittings complete as per specification.	S.ft.	13·5
10.	Teakwood shelves with battened shutters and two rows of planks 1" thick.	,,	35
11.	Teakwood wrought and put up including wood oiling two coats.	C.ft.	51·4
12.	Hoisting and fixing 41¼ lbs. rails supplied by the Department.	R.ft.	105
13.	Roofing with first class Mangalore tiles and teakwood reepers 2" x 1" including wood oiling and chunam borders complete. (Railway material certificates will be issued for tiles from Yelahanka to Hampapura).	Sqr.	11·9
14.	Ridge tiles set in mortar (Railway material certificates will be issued for tiles from Yelahanka to Hampapura).	R.ft.	105
15.	Flooring with Cuddapah slabs 1½" thick over 3" concrete and cement pointed (Railway material certificates will be issued for slabs from Betamcherla to Hampapura).	Sqr.	5·80
16.	Plastering with chunam mortar	,,	48·2
17.	Plastering in cement mortar for latrine walls inside ...	,,	1·2
18.	White washing two coats	,,	50·0
19.	Providing wind ties of teakwood 2" x 1½" including fixing ...	R.ft.	166
20.	Chocolate painting two coats	Sqr.	5·0
21.	Constructing ovens in kitchen and bath rooms	Each	2
22.	Providing sinks with cement plastering	,,	2
23.	Providing seats in latrine	,,	3
24.	Providing mortar and pestle set	Set	1
25.	Cement concrete drains 6" wide	R.ft.	50
26.	Providing eave boards 9" x ¾" ornamental with painting ..	,,	104
27.	Teakwood finials large	Each	2
28.	Teakwood pendents small	,,	6
29.	Flooring with granite slabs over 4" concrete with cement pointing.	100 S.ft.	48
	Staff well.		
1.	Excavation 12 feet deep, 7 feet square	Per foot depth.	12
2.	Excavation below 12 to 36 feet, 4 feet square in all soils including blasting rock.	,,	24
3.	Steining with size stone in mortar	100 C.ft.	396
4.	Flooring with stone slabs on 4" thick concrete and pointed with cement.	100 S.ft.	180
5.	Burnt stone in mortar for parapets	100 C.ft.	88
6.	Do slabs 6" thick dressed and fixed in mortar ...	S.ft.	66
7.	Masonry drain including lead off drain	R.ft.	80
8.	Pointing with cement	100 S.ft.	144
9.	Do mortar	,,	200
10.	Fixing 41¼ lbs. rails. Rails supplied by Depot	R.ft.	24
11.	Supplying pully with fittings complete	Each	1
12.	Bailing water per foot of water on completion of excavation...	Per foot depth.	10
13.	Removing and spreading spoil including neatly forming ...	1,000 C.ft.	..

M. RAMAIYA,
Executive Engineer.

CHITALDRUG DIVISION.

Dated 19th September 1932.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Chitaldrug Division, up to 17th October 1932, for Restoring Belagur Tank Register No. 582 of Hosdurga Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of March 1934.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Chitaldrug between the hours of 11 A.M. to 5 P.M. on office days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees three hundred and ten in cash or Government Promissory Notes as earnest money and be superscribed "Tender for Restoring Belagur Tank, Register No. 582 of Hosdurga Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9 The tenderer must quote specific rates for all items of work.

10. The tender stating that the work would be executed at a certain percentage in excess of or lower than the estimate will not be accepted.

Abstract estimate of quantities for Restoring Belagur Tank, Register No. 582 of Hosdurga Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
	Bund R. L. 54·50	—	Rs. a. p.		Rs.
1	Jungle clearing over bund ...	Lump-sum		...	
2	Earthwork to bund with cutting grips including watering and tamping, etc., complete.	Cyds.		4,735	
3	Turfing the slopes of bund ...	Syds.		6,454	
4	New stone revetment with jelly backing behind the revetment.	Cyds.		363	
5	Removing and resetting the disturbed and sunken portion of the old revetment.	,,		376	
6	Removing and refixing the existing grade stones including figuring and painting.	Each		17	
7	Providing and fixing new grade stones including figuring and painting.	,,		47	
8	Gravel coating the top width of bund ...	Cyds.		352	
9	Providing and fixing Index stones with painting	Each		64	
10	Providing and fixing guage stones with figuring and painting.	,,		1	
11	Providing B. M. Stones (fixing) ...	,,		1	
12	Providing and fixing Registered No. Stone.	,,		1	

No.	Items of work	Unit	Rate	Quantity	Cost
	Sluice.		Rs. a. p.		Rs
1	Earthwork excavation ...	Cyds.		275	
2	Removing and rebuilding the revetment with new jelly over sluice level.	,,		14	
3	Examining and repairing the sluice with lock and key arrangements, etc., complete.	Lump-sum		...	
4	Building puddle wall in the centre of bund across the cut.	Cyds.		37	
5	Refilling the sluice including watering and tamping, etc., complete.	,,		275	
	Right waste weir.				
1	Dratt and approach clearing and earthwork excavation and forming training bank.	Cyds.		1,095	
2	Burnt brick or stone in surki mortar ...	C.ft.		799	
3	Burnt stone slabs 6″ thick dressed and fixed.	S.ft.		405	
4	Plastering in surki mortar ...	Sqr.		1 00	
5	Rough stone work ...	Cyds.		177	
6	Joggle joints for slabs over body wall ...	Each		50	
	Left waste weir.				
1	Earthwork excavation ...	Cyds.		63	
2	Burnt stone slabs 6″ thick dressed and fixed.	S.ft.		125	
3	Burnt brick or stone in surki mortar ..	C.ft.		287	
4	Plastering in surki mortar ..	Sqr.		1·00	
5	Removing and resetting the old rough stone revetment of existing apron.	Cyds.		51	
6	Joggle joints to body wall slabs ...	Each		10	

R. TIPPAIYA,
Executive Engineer.

SPECIAL DIVISION, MYSORE.

No. 611, *dated* 23*rd September* 1932.

"A sum of Rs. 7-10-5 representing balance of security deposit furnished by one G. Narayanaswamy, Sub-Overseer is lying unclaimed in the accounts of this Office. Claimants if any, may apply to the Executive Engineer, Mysore Special Division, within one month, from this date, failing which, the amount will be credited to Government."

V. V. PATANKAR,
Executive Engineer.
Special Division.

HASSAN DIVISION.

Abstract Notification dated 15*th September* 1932.

The attention of the public is invited to the notification calling for tenders for restoring Kanagal Abbalikere, Regd. No. 255 of Hassan Taluk, published in pages 1037 and 1038 of part VI of the *Mysore Gazette*, dated 22nd September 1932.

The last date for receiving tenders is 15th October 1932.

M. A. SRINIVASACHAR,
Executive Engineer.